Our Product Introduction

₫

more products please visit us on polyknitfabric.com

Pre-terminated cable LC E2000/APC 6 Fiber outdoor Fibre Optic Cable with **Pulling Sock**

Basic Information

• Place of Origin: Guangdong, China • Brand Name: DYS/OEM

Model Number: e2000 apc LC 6core Pre-terminated cable

• Minimum Order Quantity: 5 pieces

• Price: \$1.25 - \$18.50/pieces

Individual box or according to customer's Packaging Details:

• Supply Ability: 20000 Piece/Pieces per Day



Product Specification

Fiber Optic Patch Cord . Type:

FTTH

Warranty Time:

Network: Wired LAN, ONVIF, 4g, 3G

Product Name: E2000 Patch Cord

E2000 Apc Connector A:

LC/UPC Or SC/UPC Connector B:

Fiber Grade: G.652D

Fiber Type: Singlemode 9/125 Color: Black

Jacket: LSZH , PVC ,OFRP ,OFNR

Fiber Count: 6 Core

 Application: Fiber Optic Equipment ISO9001, ROHS Certifaction: Port: Shenzhen



More Images









Product Description

Product Description

Pre-terminated cable LC E2000/APC 6 Fiber outdoor Fibre Optic Cable with Pulling Sock

DYS has been providing high-quality pre-terminated cables for indoor and/or outdoor applications, with fanout number ranging from 12 to 144. Available connector types include MPO, SC, LC, FC, LSH, and MU, available fanout kits include steel-tube type, round type, box type, barrel type, etc., and available fanout types include bare fiber, 0.9mm, 1.2mm, 2.0mm, 3.0mm, etc. The fanout length can be up to 10 meters, and the fanout tolerance can be as small as 0.5cm.

Our indoor/outdoor non-armored Pre-Terminated Fiber Optic Cable Assemblies are great choices for multiple applications inside or outside. For those jobs outside, consider our outdoor non-armored Pre-Terminated Fiber Optic Cable Assemblies for aerial or burial in duct applications. If you're facing the most extreme conditions, check out our outdoor armored direct burial/aerial and ADSS self-supporting aerial Pre-Terminated Fiber Optic Cable Assemblies. They will provide outstanding service and durability in all kinds of conditions.

All of our pre-terminated cable products are tailor-made to customers' specific requirements. We can fulfill any kinds of customers' demands on products' specs including connector type, fanout type, fanout length/tolerance, cable structure, etc., for a wide range of applications including FTTC, FTTB, FTTH, FTTA, data center, industrial, robotic, health-care fields, etc.



APPLICATIONS

Connected with trunk cables on one end, equipment port on the other end.

Connected with transfer modules on one end, equipment port on the other end.

FEATURES

100% pre-terminated and tested in factory to ensure transfer performance

Rapid configuration and networking, reduce installation time

Supports 40G and 100G network applications

Jacket material: LSZH, OFNR, OFNP available

Supports up to 12F, 24F, 48F, 72F, 96F, 144F, customized products are available

Certificate



R&M herewith certifies that the company named below has an appropriate quality standard for its E-2000 $^{\text{IM}}$ Assemblies which meets the requirements of R&M

and issues the company

DYS fiber

China

on the basis of the audit result

This certificate is valid up to **September 2023** Registration number **5220-2309**

Wetzikon, August 2022 Reichle & De-Massari AG

7

Ramiz Alijaj Head of Quality Assurance Hermann Christen
Market Manager Market Development











Performance Level			Standard		Elite	
Connector	Mode	Endface	IL(max) (dB)	RL(min) (dB)	IL(max) (dB)	RL(min) (dB)
LC/SC/FC/ ST	SM	APC	≤0.30	≥60	≤0.20	≥65
		UPC	≤0.20	≥50	≤0.10	≥50
	MM	PC	≤0.20	≥30	≤0.10	≥30

Mechanical Properties

Item Criteria Conformance MPO/MTP △IL After 50 Matings ≤0.3dB GR-1435 △IL After 500 Matings LC/SC/FC/ST ≤0.2dB IEC 61300-2-2

Min Bend Radius (Dynamic) 20*OD (Cable Diameter) Min Bend Radius (Static) 15*OD (Cable Diameter)

Environment Conditions

IEC 61753-1

Item Criteria Conformance

Operation Temperature -40~60°C

-45~85°C Storage Temperature







Multi-Core(Pre-Term)Fiber Optic Patch Cord



Armoured Fiber Optic Patch Cord



Company Profile















Shenzhen DYS Fiber Optic Technology is a leading company in developing and manufacturing advanced fiber optic products, mainly make fiber optic indoor and outdoor cable, CPRI waterproof jumper, MPO/MTP jumper, standard fiber optic jumper and PLC Splitter. DYS win the honorary title of National High-tech enterprise by Shenzhen government in 2014. With years of experiences in the fiber optic industry, our factory is fully equipped over 5000 square meters and more than 30 non dust production lines. About 250 well-trained staff and engineers are contributing to our proud products. We have 5 production lines for fiber optic cable, 2 high standard MPO/MTP jumper assembly lines, 15 production lines for standard jumper and 8 PLC Splitter production lines. The most advanced imported polishing equipment and testing instruments enable our products have super quality, such as Senko polishing machine, interferenter, automatic cleaning machine and OTDR "JGR and so on. All of our optical products are RoHS compliant and DYS also obtained ISO9001, ISO14001 certification. Our high quality products and outstanding service win the customer from all the world, DYS fiber optic is looking forward to cooperate with you.

Production Workshop

















End User















FAQ

01. Do you provide OEM ODM service? Yes, we can print your logo or label on the products or on the box. Q2. How can you guarentee the quality? Build on our perfect quality management system, all of our products were 100% tested before the shipment. Q3. What is your delivery time? Generally, sample: 3-5 working days. formal order: 7-10 working days. Q4. What's the method of shipment? We accept all shipment, such as Delievery, ocean transport, land transport, almost ransport almost the Payment by eaccept all payments, such as LC,TT,DP,DA,Paypal,Western Union,Money Gram. Q6. Do you provide sample service? A: Yes, we provide free or low price samples for you to test and check quality. Mixed samples are acceptable

Product inquiry



(Tyson) Beijing Silk Road Enterprise Management Services Co.,LTD





